

AICOK

MILK FROTHER
INSTRUCTION MANUAL

MK1700-UL

IMPORTANT SAFETY INSTRUCTIONS

When using electrical appliances, basic safety precautions should always be followed, including the following:

1. Read all instructions before using.
2. Before connecting the appliance to the power supply, check that the voltage indicated on the appliance corresponds with the voltage in your home. If this is not the case, contact your dealer and do not use the milk frother.
3. The attached base can not be used for other than intended use.
4. Do not operate the appliance without anything in it to avoid damaging the heat elements.
5. Unplug from the outlet when not in use and before cleaning. Allow to cool before putting on or taking off parts, and before cleaning the appliance.
6. Do not let the cord hang over the edge of a table or counter or touch a hot surface.
7. Do not place on or near a hot gas or electric burner or in a heated oven.
8. Ensure that the appliance is used on a firm and flat surface out of reach of children, this will prevent the appliance from overturning and prevent damage or injury.
9. Keep hands and utensils out of container while blending to reduce the risk of severe injury to persons or damage to the blender.

10. To protect against a fire, electric shock or personal injury, do not immerse cord, electric plugs, jar or base in water or other liquids.
11. Close supervision is necessary when any appliance is used by or near children.
12. Do not touch the hot surface. Use the handle or the button.
13. Extreme caution must be used when moving an appliance containing hot milk.
14. Avoid contacting moving parts.
15. The use of attachments not recommended or sold by manufacturer may cause fire, electric shock or injury.
16. Do not operate any appliance with a damaged cord or plug or after the appliance malfunctions, or is dropped or damaged in any manner. Return appliance to the nearest authorized service facility for examination, repair or electrical or mechanical adjustment.
17. The appliance only used for frothing and heating milk. Do not use the appliance for other than intended use.
18. This appliance is not intended for used by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliances by a person responsible for their safety.
19. Always operate the appliance with cover in place.
20. Never place this appliance on or near a hot gas or an

electric burner or where it could touch a heated appliance.

21. This appliance is intended to be used in household.
22. Children should be supervised to ensure that they do not play with the appliance.
23. Do not use outdoors.
24. To disconnect, turn any control to "off", then remove plug from wall outlet.
25. Scalding may occur if the lid is removed during the brewing cycles.

SAVE THESE INSTRUCTIONS

Note for Plug:


This appliance has a polarized plug (one blade is wider than the other). To reduce the risk of electric shock, this plug is intended to fit into a polarized outlet only one way. If the plug does not fit fully into the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. Do not attempt to modify the plug in any way.

Note for Power Cord:

- a) A short power-supply cord (or detachable power-supply cord) is provided to reduce risks resulting from becoming entangled in or tripping over a longer cord.
- b) Longer detachable power-supply cords or extension cords are available and may be used if care is exercised in their use.
- c) If a long detachable power-supply cord or extension cord is used:

- 1) The marked electrical rating of the detachable power-supply cord or extension cord should be at least as great as the electrical rating of the appliance;
- 2) If the appliance is of the grounded type, the extension cord should be a grounding type 3-wire cord; and
- 3) The longer cord should be arranged so that it will not drape over the counter top or table top where it can be pulled on by children or tripped over.

KNOW YOUR MILK FROTHER



BEFORE THE FIRST USE

The appliance can be used for finishing the following tasks separately: I. frothing and heating milk; II. only frothing separately, without heating; III. only heating separately, without frothing.

1. Before using your milk frother, clean all the parts according to the section "CLEANING AND MAINTENANCE".
2. Important: do not wash any parts in the dishwasher, and do not immerse the jar or base in water. This may permanently damage the product and void the warranty.
3. The appliance is equipped with mixing paddle and frothing paddle, the mixing paddle is used for mixing milk during heating to prevent from sticking. The frothing paddle is used for frothing milk during heating or is used for frothing separately, but no heating. Select desired accessory according to your task.
4. The amount of milk to be heated or frothed shall be complied with the requirement shown in Figure. 1.

NOTE:Please use whole milk, frozen milk (5-10°C) to froth.




Fig.1

OPERATION OF YOUR MILK FROTHER

I. Frothing and heating

1. Place the appliance on a flat surface.
2. Select frothing paddle according to your task. Then open the lid, insert the frothing paddle onto the shaft on the bottom of jar.
3. Fill the jar with the desired amount of milk, and replace the lid.

NOTE: The max milk quantity permitted to add is 150ml(see Fig. 1), to avoid milk overflowing after frothing. The min milk quantity permitted to add is 90ml.

4. Connect the plug into a power outlet.
5. Press the heat button once, the working indicator will light up. Then the appliance will start to work. Once the temperature of milk has achieved the setting value, appliance will stop working;

Note: During operation, you can stop operating by pressing the heat button once.

6. When the appliance has stopped operating, open the lid, pour out the warmed and frothed milk to enjoy it.

Caution: Minimum 3 minutes rest time must be maintained between two continuous cycles, otherwise, the appliance will enter self-protection state automatically after working for 5 cycles continuously, the working indicator will flash and the switch button will not be activated, after about 5 minutes, the appliance will enter standby state and you can continue operating the appliance.

7. After using your milk frother, clean all the parts according to the section “CLEANING

AND MAINTENANCE”.

8. Always turn off the milk frother and disconnect the power supply when not use.

II. Only frothing separately, without heating

1. According to the 1-4 steps in the section of “**Frothing and heating**”.
2. Press the froth button once, the working indicator will illuminate, the frothing paddle will rotate for frothing milk separately, but the heating element will not heat. And the appliance will automatically stop rotating after operating.

Note: During operation, you can stop operating by pressing the froth button once.

3. When the appliance has stopped operating, open the lid, pour out the frothed milk and enjoy it.

Caution: Minimum 3 minutes rest time must be maintained between two continuous cycles, otherwise, the appliance will enter self-protection state automatically after working for 5 cycles continuously, the working indicator will flash and the switch button will not be activated, after about 5 minutes, the appliance will enter standby state and you can continue operating the appliance.

4. After using your milk frother, clean all the parts according to the section “**CLEANING AND MAINTENANCE**”.

5. Always turn off the milk frother and disconnect the power supply when not use.

III. Only heating separately, without frothing.

1. Place the appliance on a flat surface.
2. Select mixing paddle according to your task. Then open the lid, insert the mixing paddle onto the shaft on the bottom of jar.

NOTE: The accessory used for this function is mixing paddle. Milk overflowing may occur if using frothing paddle instead.

3. Fill the jar with the desired amount of milk, and replace the lid.

NOTE: The max milk quantity permitted to add is 300ml(see Fig. 1), to avoid milk overflowing after mixing. The min milk quantity permitted to add is 90ml.

4. Connect the plug into a power outlet.
5. Press the heat button once, the working indicator will light up. Then the appliance will start to work. Once the temperature of milk has achieved the setting value, appliance will stop working;
6. When the appliance has stopped operating, open the lid, pour out the warm milk and enjoy it.

Caution: Minimum 3 minutes rest time must be maintained between two continuous cycles, otherwise, the appliance will enter self-protection state automatically after working for 5 cycles continuously, the working indicator will flash and the switch button will not be activated, after about 5 minutes, the appliance will enter standby state and you can continue operating the appliance.

7. After using your milk frother, clean all the parts according to the section “**CLEANING**

AND MAINTENANCE”.

8. Always turn off the milk frother and disconnect the power supply when not use.

CLEANING AND MAINTENANCE

Always disconnect the appliance from the power outlet and allow it cooling down before cleaning.

CAUTION: Never immerse the jar, power cord, plug or base in water, or allow moisture to contact with these parts.

1. Wash lid with water and mild detergent. The lid is not dishwasher safe component. Rinse thoroughly and dry.
2. Remove the mixing paddle or frothing paddle, and wash them completely in warm water.
3. Wash the inner of jar with a combination of a mild detergent and water and then wipe clean with a soft damp cloth.
4. Wipe the appearance of jar with a soft damp cloth or cleaner, never use a poisonous cleaner.

NOTE: Do not use chemical, steel, wooden or abrasive cleaners to clean the outside of the appliance to prevent the gloss loss.

ENVIRONMENT FRIENDLY DISPOSAL



You can help protect the environment!
Please remember to respect the local regulations: hand in the non-working electrical equipment to an appropriate waste disposal center.





Shenzhen Impression E-commerce Co.,Ltd
Facebook Page: <https://www.facebook.com/aicoks/>
Website: www.aicok.cc
Add: Booth No.3H012, Trading Plaza, No.5, Huanan city,
Pinghu Street, Longgang District, Shenzhen,China

Made In China